

This test is based on the analysis of ultrasound images obtained at the Nesai Health clinic, with the objective of preparing a report that provides information about the existence or absence of vacuolar implants or in snow pattern, in addition to examining the hypoderm structure as a whole, regardless of whether fillers are present or not.


Patient Info

Historic Clinic Number: nesai prueba

Gender: Male

Analysis Date: 04/03/2026 11:11

OBTAINED VIEWS



RIGHT

Malar Area



Nasolabial Fold



CENTER

Upper Lip



LEFT

Malar Area



● 04_post ● 13_07_22 (25) ● 20-04-2018 S0 I6 ... ● 04_pre




Analyzed Images

Ultrasound images of the facial zones analyzed by the Nesai Health platform.

04_post

Right Malar Area




04_pre

Left Malar Area




13_07_22 (25)

Right Nasolabial Fold



20-04-2018 S0 I6 ...

Upper Lip



Result of the ultrasound analysis at each point with maximum precision and clinical excellence. This result provides information for subsequent actions or treatments. It prevents actions that could generate an adverse effect. It helps to assess the result of the personalized response at each chosen point.



RESULTS

Main Findings:

- Presence of artifact compatible with "snow pattern", a characteristic finding of permanent implants of polydimethylsiloxane derivatives, fluid silicone, and/or polymethylmethacrylate. This pattern suggests the existence of permanent synthetic materials in the evaluated area, requiring correlation with the clinical history.
- Images compatible with vacuolar pattern, associated with treatments with non-permanent implants. The first diagnostic possibility is hyaluronic acid, given its frequent use in aesthetic procedures and its typical ultrasound profile. Other possibilities cannot be ruled out.
- Changes of echogenicity in the hypodermal tissue, with modification of the underlying histomorphological structures. These findings suggest a moderate tissue reaction, without evidence of organized reactions (e.g., granulomas, fibrosis, or necrosis).

Clinical Interpretation:

- The "snow pattern" is highly suggestive of permanent materials such as silicone or polymethylmethacrylate, frequent in breast prostheses, aesthetic or reconstructive implants. Requires correlation with the patient's aesthetic history.
- The vacuolar images are compatible with the presence of dermal or subcutaneous filler materials, such as hyaluronic acid as the first option, to be assessed with clinical history.
- The changes in echogenicity and the histomorphological alteration indicate an inflammatory or reactive response of moderate intensity, possibly related to the interaction between permanent and resorbable materials, or local processes such as edema or cellular infiltration.

Conclusion:

- Findings compatible with permanent silicone implant or related materials, based on the "snow pattern". Necessary to contrast with clinical history.
- Vacuolar pattern suggestive of hyaluronic acid, in concordance with previous aesthetic treatments.
- Moderate alteration of hypodermal tissue, compatible with inflammatory reaction secondary to identified materials, without organized complications.

Dr Francisco de Cabo
colegiado: 080828853



ADDITIONAL INFORMATION

- The presence of silicone with an optimal skin condition is a reassuring sign for the patient and highly valuable for the doctor.
- The presence of a vacuolar implant allows for assessing the implant's durability at that specific point.
- The absence of a vacuolar implant may indicate perfect integration of the implant into the tissue.
- Skin state assessment detects changes in the hypodermis, enabling precise and personalized monitoring to evaluate treatment response.
- An altered skin state indicates that the hypodermis structure is modified, which is highly important data for the doctor when making decisions.

BIBLIOGRAPHY

- de Cabo et al. Ultrasound of injectable filling materials and their interest in diagnostic follow-up. *Cir, plastlberolatinoam*. 2012 Apr;38(2):179-187
- Urdiales F, de Cabo F, Bové I. Ultrasound patterns of different dermal. *J CosmetDermatol*. 2021 May;20(5):1541 - 1548
- Ximena Wortsman, MD, Manuel Lozano, PhD, Francisco Javier Rodriguez, PhD, Yessenia Valderrama, MD, Gabriela Ortiz-Orellana, MD, Luciana Zattar, MD, Francisco de Cabo, MD, Eliza Ducati, MD, Rosa Sigrist, MD, Claudia Fontan, MD, Juliana Rezende, MD, Claudia Gonzalez, MD, Leonie Schelke, MD, Julia Zavariz, MD, Patricia Barrera, MD, Peter Velthuis, MD. Artificial Intelligence Deep Learning Ultrasound Discrimination of Cosmetic Fillers. A Multicenter Study. *J Ultrasound Med* 2025; 9999:1-8

Powered by [NesAI](#)

